



CN1




Nota: per alimentare le fotocellule sincronizzate.

Note: to power supply the synchronized photocells.

Note: pour alimenter les photocellules synchronisées.



CN2




Nota: Ponticellare tutti i contatti normalmente chiusi non utilizzati.

Nota: Bridge all not used normally closed contacts.

Nota: Ponter tous les contacts normalement fermés pas utilisés.

DIP



ON= Funzione attiva

Logiche di funzionamento, Operating logic, Logiques de fonctionnement

Prelampeggio, Pre-flashing, Clignotement préliminaire

Autotest fotocellula, Photocell autotest, Autotest photocellule

Abilitazione encoder, Encoder activation, Activation encodeur

Rallentamento, Brake (slow-down), Ralentissement

Serraggio anta, Leaf locking, Serrage vantail

Colpo d'inversione, Reverse stroke, Coup d'inversion

Impostazione tempi con Trimmer, Trimmer Timings, Affichage temps avec Trimmer

Type	SWING2		
V ~	230/115 V~ ± 10% - 50/60 Hz		
V ~	24 V ~ 200 mA MAX		
FUSE	2 A / 6,3 AT (230V~)		
	2 A / 10 AT (115V~)		
CLASS	II		
IP	55		CE
MADE IN ITALY (EU)			