





**KIT LUCI PER BARRIERE / KIT LIGHTS FOR BARRIERS /
KIT LUMIÈRES POUR BARRIÈRES / KIT LUCES PARA BARRERAS /
LICHTERKIT FÜR SCHRANKE**






Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7



**Alimentazione / Power supply /
Alimentation / Alimentacion /
Speisung:**

- 24V \equiv
- 20mA per metro / 20 mA the meter /
20 mA par mètre / 20mA por metro /
20mA per Meter

Nota: verificare la polarità tramite tester prova diodi poiché dipende da come viene innestato il cavo nel tubo luci.

Note: Verify the polarity through diodes tester since it depends on how the cable is inserted into the lights hose.

Nota: Vérifier la polarité par tester diodes car elle dépend de comme le câble est inséré dans le tuyau lumières.

Nota: Averiguar polaridad a través del tester prueba-diodos como que depende de como se injerta el cable en el tubo luces.

Achtung: Die Polarität mit Dioden Tester feststellen, da diese davon abhängt, wie das Kabel in das Lichterrohr eingeführt wurde.



SEA[®]
Sistemi Elettronici
di Apertura Porte e Cancelli
International registered trademark n. 804888



Zona industriale 64020 S.ATTO Teramo - (ITALY)

Tel. +39 (0)861 588341 r.a. Fax +39 (0)861 588344

seacom@seateam.com

www.seateam.com